Mirvac HSE Element 10 | Service Providers & Chain Supply | Suppliers and Service Providers Service Provider Authority for Works to Proceed Part B

mirvăc

Workplace Name:				
Service Provider [contractor or supplier]:				
Date of Review:		Scope of work:		
Reviewed by [name]:		Signature:		
<u>PART B</u> : JSEA REVI	EW			Further Action / Comments
a) Name and registered office, ABN/ACN and contact details of the company that shall undertake the work			Yes 🗆 No 🗆	
 b) Signed/dated by management/workplace representative supervising the work 			Yes 🗆 No 🗆	
c) Description of specific work tasks and how			Yes 🗆 No 🗆	
 they are to be carried out d) Work activities assessed as having significant health and safety hazards and surface of the safety hazards and surface of the safety hazards and surface of the safety hazards and safety hazards			Yes 🗆 No 🗆	
environment impacts e) Identify HSE hazards/impacts relevant to all work activities including those identified in the Mirvac R & O register			Yes □ No □	
f) Identify the site-specific environment impacts relevant to all work activities			Yes 🗆 No 🗆	
□ Waste – bulk, prescribed/hazardous, licens to discharge, concrete, paint or other washout				
Air quality – dust, emissions, odours or stockpiles?				
Noise – location of nearest sensitive receiver & noise levels –vs–background levels?				
Water quality – slurry, nearby drain inlets, sediment laden run off, quality of any discharge, e.g. pH, solids, turbidity?				
Flora & Fauna – protected species /habitate on/adjacent to the site?				
Soil – chemical storage, refueling, oil or hydraulic fluid leakage, acid sulphates?				
Vehicle movement: site access, mud and rumble grid/wheel wash.				
g) Control measures that shall be applied to the identified hazards/ impacts including <u>Critical</u> <u>Controls & Activities</u> identified in the Mirvac R & O register			Yes 🗆 No 🗆	





Mirvac HSE Element 10 | Service Providers & Chain Supply | Suppliers and Service Providers Service Provider Authority for Works to Proceed Part B



h) List person(s) responsible for ensuring each	Yes 🗆 N				
of the control measures are implemented					
Plant & equipment to be used in the work					
and controls reflect OEM, Plant Risk					
Assessment, ROPs, FOPs and other					
requirements					
j) Products/hazardous substances to be used	Yes 🗆 No				
in the work and records provided					
k) Legislation, standards or codes of practice	Yes 🗆 No	No 🗆			
references (where required by legislation)					
relevant to the work including those identified					
in the Mirvac R & O register					
I) Controls compliant with identified	Yes 🗆 No	No 🗆			
Legislation, standards, codes of practice,					
Mirvac Minimum Requirements and Hierarchy					
of Controls.					
m) Qualifications of the personnel that shall	Yes 🗆 No				
undertake the work including those identified					
in the Mirvac R & O register					
n) Training or permits required for the work	Yes 🗆 No				
including those identified in the Mirvac R & O					
register					
o) Record of induction for employees/	Yes 🗆 No				
contractors into the JSEA or equivalent risk					
assessment.					
p) Other issues					
Review outcome					
JSEA accepted no amendment					
JSEA accepted minor amendment					
JSEA rejected major amendment					
Corrective action required					
I confirm that I have accorded to a democracy of all d		ation is alwalian the Dlant Dialy Assessment and			
I confirm that I have assessed the adequacy of all documentation including the Plant Risk Assessment and Hazardous Chemicals/Substances Risk Assessment					
	IL				
Reviewed by:					
Name Signature		Date			
Workplace Manager					
Name Signature		Date			
Copy to Service Provider (if applicable)	Date				



