

## Sustainability performance indicators

The following criteria sets out the parameters and methodologies used by Mirvac Limited (Mircvac) to prepare and report the select sustainability performance metrics assured by Pricewaterhouse Coopers.

These metrics have been reported in our 2019 ESG Analyst Toolkit and some may be reported in our 2019 Annual Report, which includes our sustainability report.

### Energy and emissions

- Total Scope 1 GHG 1 emissions for Mirvac (tCO<sub>2</sub>e)
- Total Scope 2 GHG emissions for Mirvac (tCO<sub>2</sub>e)
- Total Scope 3 GHG emissions for Mirvac (tCO<sub>2</sub>e)
- Total energy consumed by Mirvac (GJ)
- Total energy produced by Mirvac (GJ)

### Water indicators

- Water used by source by division (kL for Retail, kL for Office and Industrial) > Non-potable water captured and consumed (total kL for Mirvac)

### Waste indicators

- Total waste generated per division (tonnes for Investment, tonnes for Construction)
- Waste disposal split by division (% recycled, % landfill, % prescribed for Investment and % recycled, % landfill, % prescribed for Construction)

### Health and safety

- Lost time injury frequency rate (Mircvac LTIFR)
- Number of fatalities (total for Mirvac)

### Workforce

- Employment type by gender table, showing number of people per gender per employment type (casual, fixed term full-time, fixed term part-time, permanent full-time, permanent part-time)
- Board of Directors by age and gender table, showing number of Directors by gender per age category (under 30 years, 30-50 years, over 50 years)
- Employment by region and gender table, showing number of employees by gender per state (NSW, QLD, WA, VIC and total)
- Absenteeism table, showing absenteeism rate (%) by gender per region (NSW, QLD, WA, VIC and total)
- Parental leave return-to-work table, showing number and percentage of people by gender and by parental leave status (% entitled to parental leave, # on parental leave during FY19, # with return to work date in FY19, # returned to work, return to work rate (%))
- Gender breakdown table, showing number of people by gender and by seniority (Mircvac Group, Mircvac Board, and Mircvac Senior Executive Manager)

### Reporting boundary and approach

Mircvac applied the following reporting boundary and approach in preparing the environmental performance metrics. Specific methods used for each performance metric are further outlined below.

#### Reporting boundary:

Mircvac has reported on the sites and facilities under direct Mircvac operational control in Australia, including standing investments and construction sites. This is in alignment with the National Greenhouse and Energy Reporting Act 2007.

#### This Changes Everything commitments:

Details on how Mircvac reports on all of its commitments in its sustainability strategy, *This Changes Everything*, are available online at: <http://sustainability.mircvac.com/our-strategy/>

#### Gap estimation:

Gaps in data can occur, typically as a result of delays in utility providers providing billing data. Mircvac's methodologies are designed to use electronically metered data. Where both invoice and meter data is not available, Mircvac will develop estimates which are based on historical performance at a site. For certain masterplanned community construction sites, resource consumption (electricity, diesel, water) may be estimated based on the number of homes built during the year. These estimates have been developed by Mircvac through benchmarking studies of average resource requirements per home built using historical data for similar building types. Where estimates or extrapolations of data are necessary, these are subject to internal review.

#### Restatement:

A minor correction has been made to Electricity Scope 3 emissions for FY18 in the Annual Report, this drafting error had not affected the Scope 3 Emissions total. No other prior year data has been restated in this report.

## Energy and emissions

### Total energy consumed

Energy consumed comprises purchased electricity, natural gas and stationary and transport fuels including diesel, liquid petroleum gas (LPG) and unleaded petrol. Transport fuel includes those used for all tools of trade cars managed by LeasePlan Australia. Mircvac also has its own onsite generation facilities (cogeneration plants, solar photovoltaic arrays and diesel generators). The associated energy consumption measured includes the energy that is generated and consumed by Mircvac, as well as the fuels used to operate these generating units (that is, natural gas and diesel). The vast majority of Mircvac's energy data is compiled based on quantities invoiced by suppliers or meter data where billing data is not available. Where invoices or meter data are not available, Mircvac will estimate consumption using the gap estimation approach described above. Quantities of electricity, natural gas and diesel usage are converted to gigajoules using the method specified within the National Greenhouse and Energy Reporting (Measurement) Determination 2008, 2018 Update.

### Total energy produced

Energy produced comprises energy generated from cogeneration plants and solar photovoltaic arrays for consumption onsite.

Energy generation amounts for individual generating units are only reported if the thresholds set out in Section 4.19 and 4.20 of the National Greenhouse and Energy Reporting (Measurement) Determination 2008, 2018 Update are met – that is, reporting is determined based on the capacity or actual generation output

of the units. Where reporting thresholds are met, the electricity generated is quantified based on electricity consumption data reported in invoices by service providers or by on site sub meters. Where invoice data and metering data is unavailable, electricity generated is estimated based on the amount of natural gas consumed by the cogeneration engine and the average efficiency of the engine.

The total electricity generated is converted to gigajoules using the method specified within the National Greenhouse and Energy Reporting (Measurement) Determination 2008, 2018 Update.

## GHG emissions

### Scope 1 direct emissions

Comprise GHG emissions associated with consumption of the following sources:

- Natural gas
- Diesel
- Unleaded petrol
- Already defined LPG
- Refrigerant gases

Scope 1 emissions have been calculated according to the National Greenhouse and Energy Reporting (Measurement) Determination 2008, 2018 Update.

### Scope 2 indirect emissions

Comprise GHG emissions created by other facilities in the production of electricity that is consumed by Mirvac sites under operational control. Scope 2 emissions are calculated based on total electricity consumed, in accordance with the National Greenhouse and Energy Reporting (Measurement) Determination 2008, 2018 Update.

### Scope 3 other indirect emissions

Include the greenhouse gas emitted by other facilities as a consequence of Mirvac's activities, in equipment/facilities that are not owned by or controlled by Mirvac, excluding Scope 2 emissions. These include emissions arising from:

- Transmission and distribution losses associated with the production and transport of electricity, natural gas and other fuels consumed by Mirvac
- Waste to landfill
- Domestic and international flights as well as car hire taken by Mirvac employees (see Transport below). Apart from air travel, which is explained below, Scope 3 emissions have been calculated based on the consumption of the above sources, according to the National Greenhouse Accounts (NGA) Factors, July 2018.

## Transport

### Air travel

GHG emissions are reported to Mirvac by travel provider Flight Centre Management, as reported to them by their partner Cleaner Climate. Cleaner Climate derive their emission factors from a range of resource sources including UK Government DEFRA (Department for Environment Food and Rural Affairs), Oxford University and the UK Royal Commission on Environmental Pollution.

The method used by Cleaner Climate to calculate Scope 3 emissions from air travel is: Cleaner Climate's co-efficient for flight travel is 0.231kg CO<sup>2</sup> released per passenger per km of flight for flights greater than or equal to 3701km, 0.205kg CO<sup>2</sup> released per passenger per km of flight for flights between 1,108 and 3,700km inclusive, and 0.366kg CO<sup>2</sup> released per passenger per km of flight for flights less than 1,108km. This co-efficient assumes standard economy class travel, regardless of the class of travel taken by Mirvac employees, and is applied to all flight distances captured by Flight Centre Management during the reporting period.

### Car hire

All Mirvac car hire arrangements are managed by Avis Australia who report to Mirvac all distances travelled by employees, fuel consumed and an estimate of GHG emissions which it bases on guidance from the Australian Government's Green Vehicle Guide. Reporting is broken down by travel within Australian states.

## Water consumption

### Potable water consumption

Potable water consumption comprises water supplied to Mirvac assets from local water authorities. The vast majority of Mirvac's potable water consumption data is compiled based on quantities invoiced by suppliers or meter data where billing data is not available. Where invoices or meter data are not available, Mirvac will estimate consumption using the gap estimation approach described above.

For most assets, potable water consumption reported represents consumption for the whole building, including tenant consumption. For a number of properties, separate sub meters have been set up for particular tenants. Where tenant consumption can be quantified separately, this data is excluded from Mirvac's reporting boundary.

Aggregate potable water consumption is reported for all retail assets, and all office and industrial assets combined.

### Non-potable water consumption

Non-potable water consumption comprises water captured and consumed which is derived from non-potable sources. There are several sources of captured water used in Mirvac's portfolio: rainwater, condensate water, grey water, black water, and mains reticulated recycled water. Captured water is measured in kilolitres using water meters.

## Waste generated

### Total waste disposal by division, waste disposal % by division

Figures reported represent the mass of total waste generated by Mirvac's Investment and Construction divisions. Waste reported is based on weight quantities invoiced by Mirvac's waste and cleaning contractors who remove waste on behalf of Mirvac and its tenants. Invoices report both the quantity of waste sent to landfill and the quantity diverted from landfill for recycling, recovery, reuse or waste to energy.

Waste quantities may be initially measured by waste contractors based on weight or based on volume. Where waste is measured in volume rather than the actual weight, the waste contractor may apply its own conversion factor to derive an estimate of weight. For some assets and waste streams, Mirvac may opt to convert volume data by applying its own conversion factors.

These may be based on industry guidelines (that is, those published by Better Building Partnership) or may be based on those developed by Mirvac as a result of periodical weigh-offs conducted by Mirvac, waste contractors or external consultants.

A number of Mirvac tenants manage their own recycling for particular waste streams, such as secure paper and organic food recovery. Where this data is provided by tenants, Mirvac includes it in its reporting boundary. Tenant supplied data represents approximately 11% of total waste generated by Mirvac's Investment division. For certain tenants and waste streams, waste quantities are estimated based on information provided by tenants such as bin size, average fullness and collection frequency. Mirvac estimates the quantity of waste in weight based on tenant advice or industry guidelines.

The mass of waste to landfill, recycled waste or prescribed hazardous waste are reported as percentages of total waste for each division (Construction and Investment).

## Health and safety

### Lost Time Injury Frequency Rate (LTIFR)

Mirvac reports and monitors the lost time injury frequency rate (LTIFR) per million hours worked in accordance with Australian Standard AS1885.1 Workplace Injury and Disease Recording Standard. The LTIFR is calculated as follows:

$$\text{LTIFR} = \frac{\text{Number of lost time injuries} \times 1,000,000}{\text{Total hours worked in accounting period}}$$

### Definitions:

**A lost time injury:** is defined as a work-related occurrence that resulted in a fatality, permanent disability or injury resulting in time lost from work of one day/shift or more. Such incidents are tracked in Mirvac's HSE reporting system and supported by relevant medical certification.

**Total hours worked in the accounting period:** refers to the total number of hours worked by Mirvac personnel and construction contractors during the reporting period.

The total hours worked is calculated as follows:

### Head office employees:

Total hours worked (Mirvac personnel) = the sum of:

- The standard hours for each part time and full-time employee for each day worked during the year
- The actual hours worked, for casual employees.

### Employees working at retail, office and industrial sites:

Total hours worked (Mirvac personnel) = the sum of headcount for each month during the year x 50 hours per week x 4 weeks.

"Headcount" is the number of employees recorded in Mirvac's payroll systems at each month end.

Total hours worked (contractors) = All hours automatically recorded in Mirvac's swipe card system during the year.

Employees working at residential sites:

Total hours worked (Mirvac personnel) = the sum of:

- The standard hours for each part time and full-time employee for each day worked during the year.
- The actual hours worked, for casual employees.

### Construction employees:

Total hours worked (Mirvac personnel and contractors, excluding principle contractors) = Headcount x 10 hours per day x number of days worked in the month x 12 months.

"Headcount" is recorded in a daily register based on the number of people working on site on a particular day.

### Total number of fatalities

If a fatality occurs, the details of the fatality will be recorded in Mirvac's HSE reporting system and Mirvac's Extreme HSE Incident Response Committee is convened.

## Workforce

### Definition (Indigenous):

Employees who self-identify as Aboriginal and Torres Strait Islander peoples as at 30 June 2019.

Source: Reconciliation Australia

The source for all other workforce data is Chris21 Report Designer tool.

### Employment type by gender:

Definition: This accounts for permanent full-time, fixed term full-time, permanent part-time, fixed term part-time, casual employees as at 30 June 2019.

Method: Head count of females and males expressed as a number of total employees within the same employment type.

### Board age and gender composition (see Analyst Toolkit)

Definition: All Non-Executive Directors and CEO as at 30 June 2019.

Method: Headcount of females and males expressed as a number of total headcount and by age category.

### Employment by region and gender (see Analyst Toolkit)

Definition: All employees as at 30 June 2019, broken down by the state in which their main source of work exists. Note that NSW and ACT are combined.

Method: Headcount of females and males expressed as a % of total employees within the same state.

**Absenteeism (see Analyst Toolkit)**

Definition: This accounts for all sick leave hours taken between 1 July 2018 and 30 June 2019.

Method: This is calculated by dividing the total number of hours of sick leave taken per state by the total number of productive hours in each state. Productive hours are defined as total standard hours plus any overtime incurred for FY19.

**Parental leave return rate (see Annual Report & Analyst Toolkit)**

Definition: This accounts for all employees who were on parental leave between 1 July 2018 and 30 June 2019.

Method: This is calculated by looking at the total number of males and females who were due to return to work after parental leave and comparing to those that actually returned.

**Mirvac Group, board and senior executive manager gender profile % as at 30 June 2019**

Definition (Group): Group accounts for all full-time, part-time, casual and fixed-term contractors within Mirvac as at 30 June 2019. Also includes Non-Executive Directors.

Definition (Senior Executive Manager): Position up to two reporting levels below the CEO.

Definition (Board): All Non-Executive Directors and CEO at 30 June 2019.

Method: Headcount of females and males expressed as a % of total headcount.